# AOTO Attractive Technology

# How Does E Series Fit your Needs ?



# Content

### Part 1 Company Profile

### Part 2 E Series Features

# **Technology Innovator**



years R&D Experience Core Team over 15 years



patents



Of annual turnover invested to R&D



Invention Patent of Mini LED Innovation of high resolution led display



World's Highest Resolution of Outdoor



World's highest resolution




# **AOTO Service**



## led@aoto.com

Global Call Center 7/24 service



#### **Vertical Market**



### **Vertical Market**





#### **E Series Product Family**

### E Series – brings our brand stand out

- Indoor: P2.5mm P3mm P4mm P4.8mm P6mm
- Outdoor: P3mm, P4mm, P5.8mm, P8mm, P10mm, P16mm
- Fixed Installation







#### **Application for E series**





#### Application:

Digital Media, Transportation, Sports, Conference Room, TV Studio


• Installation Method:

Wall mounted, rigging, standing, street furniture

#### Stunning Image Quality → Essential

- > 20 bits processing depth
- > HDR + HLG available
- High contrast ratio up to 10,000:1







### 16 bits processing depth

20 bits processing depth

 $\rightarrow$  Show smooth color & crystal images




#### **High Dynamic Range**

HDR10

Supports HLG and HDR10 format, fully presenting every detail of the HD images and bringing stronger visual impacts.


ANTIQUE DI GONDO

111111111111111



Patented louver design

High Contrast Ratio up to 10,000 : 1





**Smart Design for Easy Installation & Maintenance** 

- → Reduce installation & Maintenance cost
- Ultra Thin
- Precise Dimension
- Front & Rear access
- Free Size Cabinets



Ultra Thin 75mm Thickness(indoor) 77mm Thickness(outdoor)

→ Create sophisticated design → Save space





 Die casting aluminum cabinet provides precise dimension

ΑΟΤΟ

ΑΟΤΟ

AOTO

10110

0110


10-

AOTO

Quick connection between cabinets

AOTO

AOTO






Front & Rear Access for modules and power unit



# Free size cabinet makes creative reality





#### **Fit For Harsh Environment**


IP67 / IP65 Ingress Protection

Natural Thermal Design

■ Fit for windy load





# IP67 / IP65



### Fin Shape Design for Natural Cooling

→ Save energy→ Product is stable





# AOTO Attractive Technology

### ■ Fit for windy load

#### **Optional Features**

- EMC Class B version
- Dot by dot monitoring & diagnostic
- Fire standard approved: EN13501-1 Class C & BS476 Class 0/1/2











Shanghai Pudong International Airport

LANCÔME

NEW IDVANCED GÉNIFIQUE

全新「小黑瓶」肌底精华

LANCÔML

全新小黑瓶肌底精华 国牧网备进宇 (沪) 20

NCOM

无申报通道

公告 Notice

- > E3i product
- ➢ 183sqm

> 11K x 2k resolution

**London Outnert Project** The Largest Immersive LED Display Project in the world 23,000 sq feet with E series product

# Social Media Platforms

# Please follow AOTO for more updated news!



Linkedin: AOTO Electronics

Facebook: AOTO Electronics

itempe = (bilder A Dathan

Attractive Technology



Instagram: @aoto\_led

Twitter: @AOTOElectronics

Youtube: AOTO Electronics

Contact AOTO by led@aoto.com